

BEFORE THE SOUTH DAKOTA
ONE CALL NOTIFICATION BOARD

IN THE MATTER OF THE COMPLAINT
FILED BY MONTANA DAKOTA
UTILITIES, RAPID CITY, SD AGAINST
ELITE CUSTOM HOMES, RAPID CITY,
SD, FOR AN INCIDENT OCCURRING ON
APRIL 23, 2020 AT 3620 REMINGTON
RD, RAPID CITY, SD.

**ORDER ADOPTING ENFORCEMENT
PANEL RECOMMENDATION TO THE
SOUTH DAKOTA ONE CALL BOARD**

OC20-024

On April 27, 2020, the South Dakota One Call Board received a Complaint filed by Montana Dakota Utilities (herein “MDU”), against Elite Custom Homes, LLC, (herein “Respondent”) for an incident occurring on April 23, 2020 at 3620 Remington Rd, Rapid City, SD. The Complaint alleges a violation of SDCL 49-7A-5 and 49-7A-8 when Respondent was pounding in concrete stakes and hit the gas service line, which was protected by an excess flow valve. MDU alleges that 811 and MDU were notified, and Respondent did not have a locate ticket.

A copy of the Complaint was sent to Respondent on May 6, 2020. The deadline to respond was May 27, 2020. Respondent has not answered the complaint as of July 2, 2020.

On July 2, 2020, the Enforcement Panel (herein “Panel”) convened pursuant the authority present in SDCL 49-7A. The Panel does find probable cause to believe that an intentional violations of SDCL 49-7A-5 and 49-7A-8 occurred.

Based upon the evidence presented in the filings, the Panel recommends a penalty of \$1,000 with \$750 suspended upon the conditions listed below. The conditions for the suspended penalty are as follows:

1. Respondent must not be found guilty of a One Call violation within 12 months of the Board Order,

2. The penalty payment of **\$250** must be made to **P.O. Box 187, Rapid City, SD 57709**, within 30 days of the Board Order,
3. Respondent must attend a Damage Prevention meeting in 2021,
4. Respondent must conduct an in-house safety meeting to discuss South Dakota One Call laws. Detail of the discussion material, date, and length of the meeting along with printed and signed names of attendees will be submitted to the Executive Director of South Dakota One Call within 30 days of the Board Order.
5. Respondent will arrange a face-to-face meeting with MDU to review the damage, dangers while working around utilities, and safe practices. This meeting is to take place within 30 days of the Board Order being issued.

If any of the above conditions are not met, the suspended penalty (**\$750**) becomes immediately due and payable to **P.O. Box 187, Rapid City, SD 57709**.

The Panel recommends the South Dakota One Call Board accept its findings and recommendations herein. If either party to this Complaint disagrees or objects to the recommendations or findings herein, a hearing may be requested. To request a hearing, a party must reply within twenty days from the date of service of this notice. Failure to request a hearing is considered acceptance of the recommendations and findings herein.

On August 4, 2020, the Panel's recommendation was sent to the parties to this action. The parties did not request an evidentiary hearing. The Board reviewed the Panel's recommendations at its August 27, 2020 meeting pursuant to SDCL 49-7A-27. The Panel's recommendation was approved by the Board. It is now, therefore:

ORDERED, that the South Dakota One Call Board adopts the recommendations of the Panel as a final resolution of this Complaint. The Panel's findings are attached hereto and shall be considered fully incorporated herein.

The South Dakota One Call Notification Board has jurisdiction over this matter pursuant to SDCL 1-26 and 49-7A and ARSD Article 20:25, specifically SDCL 49-7A-5, 49-7A-18, 49-7A-20, 49-7A-22 and 49-7A-26.

Dated this 23th day of September 2020.

BY ORDER OF THE SOUTH DAKOTA ONE CALL
NOTIFICATION BOARD:

DocuSigned by:
Fay Jandreau
91AEC86AEFF9499...